

ACTIVE TREATMENT

Phase 3 treatments | Nimue-SRC™



Nimue-SRC™ problematic

4ml



pH 3.0

The Nimue-SRC™ problematic peel is a concentrated superficial keratolytic peel (based on 5 exfoliation agents) with added treatment properties in a light emulsion base. The advanced cumulative treatment peeling system is indicated for the problematic [acne and acne prone conditions] skin classification. The selection of active ingredients in a polymeric delivery system facilitate superficial peeling and assists in the treatment of problematic skin.

Active ingredients

Primary ingredients

- Glycolic Acid (standard and amphoteric) (exfoliation)
- Lactic Acid (exfoliation)
- Salicylic Acid (exfoliation)
- Azelaic Acid in Cyclodextrin System (antibacterial)
- Willow Bark Extract (exfoliation)
- Pyruvic Acid (exfoliation & rejuvenation)
- Marigold Extract (anti-oxidant)

Product benefits

- Skin exfoliation and decongestion
- Antibacterial properties
- Refinement and softening of the skin
- Improvement in skin texture and pore size
- Brightening of the skin
- The acids enhance the penetration of actives in the corrective homecare system to enhance results

Application technique

- Use Nimue-SRC™ Problematic Peel directly from pod or decant into a clean glass bowl
- Apply an even application of Nimue-SRC™ problematic peel to the skin with the applicator. Avoid the upper eyelids, area under the eyes (applying only up to the eye socket line), corners of the eyes and lips. May be used on the neck if required
- A fan may be used to minimize the slight tingling sensation which may vary from person to person
- Leave on the skin for approximately 5 - 7 minutes, depending on severity of condition
- This is a time dependent peel due to the AHA content and must be neutralized thoroughly after the required time
- Ensure that Nimue Client Consultation Form and Client Consent Form is signed
- **Single dose, cannot be stored once opened**