

NIMUE MD RANGE

EDUCATION ONE PAGER

POST-PROCEDURE RECOVERY BALM | 30ML AND 100ML

A balm for soothing and comforting irritated and red skin. Assists in the recovery of microbiota after skin insult and promotes accelerated healing and epithelisation for faster skin recovery. Suitable for use on all skin types/conditions after skin peeling and resurfacing procedures or invasive and less-invasive laser treatment modalities.

INDICATIONS

- All skin types/conditions after skin peeling/resurfacing treatments accompanied by severe barrier disruption
- After invasive or less-invasive laser treatments with partial or full thickness wounding
- Burn wounds, cuts and abrasions
- Surgical wounds

BENEFITS

- Accelerates epithelisation and wound healing
- Reduces treatment downtime
- Replenishes hydration to a dry, sensitive or compromised skin
- Repairs and protects the skin barrier

KEY INGREDIENTS

- Isostearyl Isostearate (*Repairs and protects the skin barrier and accelerates wound healing*)
- Organic Hemp Seed Oil (*Powerful anti-oxidant with soothing properties*)
- Avocado Oil and Phytosterols (*Provides intense hydration and repairs the skin barrier*)
- Vitamin E (*Anti-oxidant and skin repair*)

DIRECTIONS FOR USE



POST PROCEDURE RECOVERY BALM			
Homecare use		Professional use	
Face and neck and d�collet�		Face and neck and d�collet�	
1.5ml (6 pumps)		1.5ml (6 pumps)	
Usage guideline			
Area	Pumps	Area	Pumps
5x5cm	1 pump minimum	5x5cm	1 pump minimum
10x10cm	2 pumps minimum	10x10cm	2 pumps minimum
<ul style="list-style-type: none">• Apply a thick, even layer to affected area• Repeat 3 times daily for 3-5 days• Use only until skin's barrier has been restored• Not intended for long-term use• Avoid open, bleeding wounds or wounds with infection		<ul style="list-style-type: none">• Suitable for use post procedure• Apply a thick, even layer to the affected area• DO NOT USE AFTER MICRONEEDLING	

MD

NIMUE MD RANGE

BEFORES AND AFTERS

POST PROCEDURE RECOVERY BALM | 30ML AND 100ML

BEFORE



WEEK 16



BEFORE



WEEK 1



Case studies performed in clinical practice by a Plastic Surgeon
For further case studies, please refer to MD information booklet

MD